## NSN 5315-01-320-1114

First End Style: Chamfered

**Thread Class:** 

Right-hand

**Thread Direction:** 

3b

Second End Style:

Square internally threaded

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-320-1114

Thread Length:
0.450 inches
Shank Length:
0.625 inches
Shoulder Width Across Flats:
0.562 inches
Shank Diameter:
Between 0.245 inches and 0.250 inches
Overall Length:
0.860 inches
First End Taper Length:
Between 0.250 inches and 0.270 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
Second Shank Diameter:
Between 0.497 inches and 0.499 inches
First End Location:
Unthreaded end
First End Tip Radius:
0.060 inches
Second Shank Length:
Between 0.105 inches and 0.115 inches
Material:
Steel comp 303 or steel comp 303se
Material Specification:
Astm a582 assn standard all material responses
Surface Treatment:
Passivate
Surface Treatment Specification:
Astm a380 assn standard single treatment response
Style Designator:
Shoulder

## NSN 5315-01-320-1114

Headless Shoulder Pin - Page 2 of 2



Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0