NSN 5315-01-323-9059

Headless Shoulder Pin - Page 1 of 2



| View Onl | ine at https://aerobasegroup.com/nsn/5315-01-323-9059 |
|-----------|---|
| First End | il Style: |
| Chamfere | ed |
| Second | End Style: |
| Chamfere | ed |
| Thread C | Class: |
| 2a | |
| Thread D | Direction: |
| Right-har | nd |
| Thread L | ength: |
| 0.450 inc | hes |
| Shank Lo | ength: |
| 1.205 inc | hes |
| Shoulde | r Width Across Flats: |
| Between | 0.738 inches and 0.750 inches |
| Shank D | iameter: |
| 0.311 inc | hes |
| Overall L | ength: |
| 1.830 inc | hes |
| First End | d Taper Length: |
| 0.035 inc | hes |
| Second I | End Taper Length: |
| 0.250 inc | hes |
| Second I | End Relationship With First End: |
| Not ident | ical |
| Thread S | Size: |
| 0.500 inc | hes |
| Second : | Shank Diameter: |
| 0.500 inc | hes |
| First End | Location: |
| Threaded | d end |
| First End | d Taper Angle: |
| Between | 40.0 degrees and 50.0 degrees |
| Second | End Taper Angle: |
| 20.0 deg | rees |
| Second : | Shank Length: |
| 0.500 inc | hes |
| Material: | |
| Steel con | np 630 |

Style Designator:

Material Specification:

Ams 5643 assn standard single material response

Shoulder

NSN 5315-01-323-9059

Headless Shoulder Pin - Page 2 of 2



| Throad | Sorios | Designator | |
|--------|----------|------------|--|
| ımread | i Series | Designator | |

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0