NSN 5315-01-325-1636

Threaded Tapered Pin - Page 1 of 2

First End Style:

Passivate



View Online at https://aerobasegroup.com/nsn/5315-01-325-1636

Chamfered
Second End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
1.095 inches
Taper Length:
1.625 inches
Taper Minor Diameter:
0.242 inches
Taper Major Diameter:
0.303 inches
End Application:
Sonar assembly, torpedo mk50
First End Taper Length:
0.020 inches
Second End Taper Length:
0.030 inches
Grip Length:
1.000 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
Taper:
0.061 per foot in inches
First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
30.0 degrees
Material:
Steel comp 630
Material Specification:
Ams 5643 assn standard single material response
Surface Treatment:

NSN 5315-01-325-1636

Threaded Tapered Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Threaded at small end

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0