NSN 5315-01-328-5868

Threaded Tapered Pin - Page 1 of 2

First End Style:

Threaded and counterbored



View Online at https://aerobasegroup.com/nsn/5315-01-328-5868

Second End Style:
Radius
Thread Class:
2b
Thread Direction:
Right-hand
Thread Length:
1.750 inches
Taper Length:
4.690 inches
Taper Minor Diameter:
0.688 inches
Taper Major Diameter:
1.853 inches
End Application:
2350-01-091-5405
First End Counterbore Diameter:
0.688 inches
First End Counterbore Depth:
0.360 inches
First End Taper Length:
0.220 inches
Grip Length:
2.250 inches
Second End Relationship With First End:
Not identical
Thread Size:
1.750 inches
Taper:
3.005 per foot in inches
First End Location:
Counterbore end
First End Taper Angle:
3.0 degrees
Material:
Steel comp 4130
Material Specification:
Astma322 assn standard all material responses
Surface Treatment:
Nickel

NSN 5315-01-328-5868

Threaded Tapered Pin - Page 2 of 2



		a 161 41	
Surtace	I reatment	Specification	•

Mil-c-26074 military specification all treatment responses

Style Designator:

Threaded at small end

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-c-26074 spec.