## NSN 5315-01-331-7864

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-331-7864

view Offilite at https://aerobasegroup.com/hsi//55/15-51-750-4
First End Style:
Square
Second End Style:
Chamfered
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.405 inches
Shank Length:
0.625 inches
Shoulder Width Across Flats:
0.438 inches
Shank Diameter:
Between 0.2490 inches and 0.2495 inches
Overall Length:
1.405 inches
Second End Taper Length:
Between 0.230 inches and 0.270 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.250 inches
Second Shank Diameter:
Between 0.2490 inches and 0.2495 inches
First End Location:
Threaded end
Second End Tip Radius:
Between 0.060 inches and 0.090 inches
Second Shank Length:
0.655 inches
Material:
Steel comp 302 or steel comp 304 or steel comp 303se
Material Specification:
Qq-s-763, cond b federal specification 1st material response or qq-s-763, cond b federal specification 2nd material response or mca1r
mms265 cagec 76301 mfr ref 3rd material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response

Shoulder

Style Designator:

## NSN 5315-01-331-7864

Headless Shoulder Pin - Page 2 of 2



Thread Series Designator:	Thread	<b>Series</b>	<b>Designator:</b>
---------------------------	--------	---------------	--------------------

Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0