NSN 5315-01-334-2885

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-334-2885

First End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.175 inches
Shoulder Width Across Flats:
0.250 inches
Overall Length:
1.674 inches
First Step Diameter:
Between 0.113 inches and 0.115 inches
Second Step Diameter:
0.164 inches
Second Step Length:
0.175 inches
Third Step Diameter:
Between 0.113 inches and 0.115 inches
Third Step Length:
0.585 inches
Shoulder Length:
Between 0.027 inches and 0.037 inches
First End Taper Length:
0.032 inches
Second End Relationship With First End:
Identical
Thread Size:
0.164 inches
First End Location:
Both ends
First End Taper Angle:
Between 56.0 degrees and 64.0 degrees
First End Tip Radius:
0.032 inches
Special Features:
Second step threaded
Material:
Steel comp 303
Material Specification:
Astm a582 cond a assn standard single material response

NSN 5315-01-334-2885

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 1, 2, 3 or 4 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0