NSN 5315-01-334-9779

Headless Grooved Pin - Page 1 of 2

First End Style:

Second End Style:

Overall Length: 4.625 inches Diameter:

Threaded and counterbored

Between 0.618 inches and 0.620 inches

Chamfered



View Online at https://aerobasegroup.com/nsn/5315-01-334-9779

Effective Length:
2.031 inches
Undercut Diameter:
0.560 inches
Undercut Width:
0.188 inches
Hole Arrangement Style:
Both end drilled
First Hole Diameter:
0.120 inches
Second Hole Diameter:
Between 0.156 inches and 0.162 inches
Distance From Centerline Of Hole To End Of Pin:
0.220 inches
Center To Center Distance Between Holes:
2.280 inches
Second End Counterbore Diameter:
Between 0.327 inches and 0.334 inches
Second End Counterbore Depth:
2.250 inches
First End Taper Length:
0.062 inches
Second End Taper Length:
0.062 inches
Second End Relationship With First End:
Not identical
First End Location:
Unthreaded end
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
45.0 degrees
Special Features:
Extra hole near second hole 0.220 in. Dia

NSN 5315-01-334-9779

Headless Grooved Pin - Page 2 of 2



Material:
Steel comp 303
Material Specification:
Astm a582 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type 4 federal specification single treatment response
Style Designator:
Groove
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0