

NSN 5315-01-337-4037 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-337-4037 First End Style: Chamfered Second End Style: Chamfered **Shank Length:** 0.260 inches **Shoulder Diameter:** Between 0.235 inches and 0.245 inches **Shank Diameter:** Between 0.1873 inches and 0.1875 inches **Overall Length:** 0.580 inches **Undercut Diameter:** 0.160 inches **Undercut Width:** 0.030 inches **Second Undercut Width:** 0.030 inches **Second Undercut Diameter:** 0.160 inches First End Taper Length: 0.040 inches **Second End Taper Length:** 0.190 inches Second End Relationship With First End: Not identical **Second Shank Diameter:** Between 0.1882 inches and 0.1885 inches

First End Location:

Chamfered end

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

15.0 degrees

Second Shank Length:

0.170 inches

Material:

Steel comp 303

Material Specification:

Astm-a582-80 assn standard single material response

Surface Treatment:

Passivate

NSN 5315-01-337-4037

Headless Shoulder Pin - Page 2 of 2



Surface	Treatment	Specif	ication:
---------	-----------	--------	----------

Mil-f-14072, e300 military specification single treatment response

Style Designator:

Undercut

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-f-14072 spec.