

NSN 5315-01-349-9970 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-349-9970 First End Style: Square **Second End Style:** Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.380 inches **Shank Length:** Between 0.590 inches and 0.600 inches **Shoulder Width Across Flats:** 0.435 inches **Shank Diameter:** Between 0.2485 inches and 0.2495 inches **Overall Length:** 1.600 inches **Second End Taper Length:** 0.310 inches **Second End Relationship With First End:** Not identical **Hardness Rating:** 35.0 rockwell c and 43.0 rockwell c **Thread Size:** 0.250 inches **Second Shank Diameter:**

0.500 inches

First End Location:

Threaded end

Second End Tip Radius:

Between 0.015 inches and 0.030 inches

Second End Taper Angle:

10.0 degrees

Second Shank Length:

0.750 inches

Material:

Steel comp xm-12

Material Specification:

Ams 5659 assn standard single material response

Surface Treatment:

Passivate

NSN 5315-01-349-9970

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization: No

Fiig:

A212a0