

NSN 5315-01-349-9971 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-349-9971 First End Style: Slotted Second End Style: Square internally threaded **Thread Class:** 2b **Thread Direction:** Right-hand Thread Length: 0.380 inches **Shank Length:** 0.500 inches **Shoulder Diameter:** 0.810 inches **Shank Diameter:** Between 0.279 inches and 0.283 inches **Overall Length:** 0.901 inches First End Slot Width: 0.060 inches First End Slot Depth:

0.060 inches

Second End Relationship With First End:

Not identical

**Thread Size:** 

0.190 inches

**Second Shank Diameter:** 

Between 0.4985 inches and 0.4995 inches

**First End Location:** 

Unthreaded end

First End Outer Radius:

0.060 inches

**Surface Finish:** 

16.0 microinches short shank end

**Second Shank Length:** 

0.341 inches

Material:

Steel comp 303se

**Material Specification:** 

Astm a582, cond a assn standard single material response

**Surface Treatment:** 

**Passivate** 

## NSN 5315-01-349-9971

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A212a0