NSN 5315-01-349-9971

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-349-9971

First End Style:

Slotted

Second End Style:

Square internally threaded

Thread Class:

2b

Thread Direction:

Right-hand

Thread Length:

0.380 inches

Shank Length:

0.500 inches

Shoulder Diameter:

0.810 inches

Shank Diameter:

Between 0.279 inches and 0.283 inches

Overall Length:

0.901 inches

First End Slot Width:

0.060 inches

First End Slot Depth:

0.060 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.190 inches

Second Shank Diameter:

Between 0.4985 inches and 0.4995 inches

First End Location:

Unthreaded end

First End Outer Radius:

0.060 inches

Surface Finish:

16.0 microinches short shank end

Second Shank Length:

0.341 inches

Material:

Steel comp 303se

Material Specification:

Astm a582, cond a assn standard single material response

Surface Treatment:

Passivate

NSN 5315-01-349-9971

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0