NSN 5315-01-351-1977

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-351-1977 First End Style: Chamfered Second End Style: Square **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.515 inches and 0.535 inches **Shank Length:** Between 0.615 inches and 0.635 inches **Shoulder Diameter:** Between 0.361 inches and 0.365 inches **Shank Diameter:** 0.250 inches **Overall Length:** 7.500 inches **Undercut Diameter:** Between 0.175 inches and 0.185 inches **Undercut Width:** Between 0.090 inches and 0.110 inches First End Taper Length: Between 0.050 inches and 0.070 inches Second End Relationship With First End: Not identical Hardness Rating: 24.0 rockwell c and 37.0 rockwell c Thread Size: 0.250 inches First End Location: Unthreaded end **Special Features:** 0.240 in min 0.250 in maximum width across flats adjacent to undercut Material: Iron alloy 660 **Material Specification:** Ams 5732 assn standard single material response

Style Designator: Undercut **Thread Series Designator:**

Unc

NSN 5315-01-351-1977

Headless Shoulder Pin - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0