## NSN 5315-01-351-1980

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-351-1980 First End Style: Chamfered **Second End Style:** Chamfered w/thru hole First Step Diameter: Between 1.997 inches and 1.999 inches First Step Length: 2.875 inches **Second Step Diameter:** Between 1.7495 inches and 1.7500 inches Second Step Length: 1.562 inches **Third Step Diameter:** Between 1.624 inches and 1.628 inches Third Step Length: 2.188 inches First End Taper Length: 0.062 inches Second End Taper Length: 0.062 inches **Second End Relationship With First End:** Not identical **First End Location:** Shank end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 45.0 degrees **Special Features:** Three wrenching holes 0.250 in. On third step dia; 0.266 in. Wide axial locking groove; perpendicular through hole intersected by longitudinal holes Material: Steel comp 630 **Material Specification:** Ams 5643 assn standard single material response **Style Designator:** Shoulder Shelf Life: N/a

No

**Unit Of Measure:** 

Demilitarization:

## NSN 5315-01-351-1980

Headless Shoulder Pin - Page 2 of 2



Fiig:

A212a0