## NSN 5315-01-358-7376

First End Style:

Shoulder

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-358-7376

Square
Second End Style:
Chamfered
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.405 inches
Shank Length:
0.468 inches
Shoulder Width Across Flats:
0.438 inches
Shank Diameter:
Between 0.2490 inches and 0.2495 inches
Overall Length:
0.905 inches
Second End Taper Length:
Between 0.248 inches and 0.252 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.250 inches
Second Shank Diameter:
0.438 inches
First End Location:
Threaded end
Second End Tip Radius:
Between 0.060 inches and 0.090 inches
Second Shank Length:
0.375 inches
Special Features:
Rolled radius 0.040in maximum on both shanks adjacent to shoulder.
Material:
Steel comp 302 or steel comp 304 or steel comp 303se
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:

## NSN 5315-01-358-7376

Headless Shoulder Pin - Page 2 of 2



Thread	Series	<b>Designator:</b>
--------	--------	--------------------

Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0