

NSN 5315-01-368-3802 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-368-3802 First End Style: Chamfered Second End Style:

Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.475 inches **Shank Length:** 0.850 inches **Shoulder Width Across Flats:** Between 0.552 inches and 0.572 inches **Shank Diameter:** Between 0.3735 inches and 0.3745 inches **Overall Length:** 1.540 inches First End Taper Length: 0.050 inches **Second End Taper Length:** Between 0.170 inches and 0.210 inches Second End Relationship With First End: Not identical **Thread Size:** 0.375 inches

**Second Shank Diameter:** 

Between 0.3740 inches and 0.3745 inches

**First End Location:** 

Threaded end

First End Taper Angle:

45.0 degrees

**Second End Tip Radius:** 

Between 0.060 inches and 0.090 inches

**Second End Taper Angle:** 

45.0 degrees

**Second Shank Length:** 

0.565 inches

Material:

Steel comp 302 or steel comp 303se or steel comp 304

**Material Specification:** 

Qq-s-763, cond b federal specification all material responses

## NSN 5315-01-368-3802

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0