NSN 5315-01-368-3802

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-368-3802

First End Style:

Chamfered

Second End Style:

Chamfered

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.475 inches

Shank Length:

0.850 inches

Shoulder Width Across Flats:

Between 0.552 inches and 0.572 inches

Shank Diameter:

Between 0.3735 inches and 0.3745 inches

Overall Length:

1.540 inches

First End Taper Length:

0.050 inches

Second End Taper Length:

Between 0.170 inches and 0.210 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.375 inches

Second Shank Diameter:

Between 0.3740 inches and 0.3745 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

Second End Tip Radius:

Between 0.060 inches and 0.090 inches

Second End Taper Angle:

45.0 degrees

Second Shank Length:

0.565 inches

Material:

Steel comp 302 or steel comp 303se or steel comp 304

Material Specification:

Qq-s-763, cond b federal specification all material responses

NSN 5315-01-368-3802

Headless Shoulder Pin - Page 2 of 2



Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Style Designator:

Shoulder

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0