NSN 5315-01-373-8797

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-373-8797

First End Style:
Square
Second End Style:
Counterbored w/thru hole
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.330 inches
Shank Length:
0.455 inches
Shoulder Diameter:
0.375 inches
Shank Diameter:
Between 0.123 inches and 0.127 inches
Overall Length:
Between 0.780 inches and 0.790 inches
Hole Arrangement Style:
Drilled through head
First Hole Diameter:
Between 0.1255 inches and 0.1256 inches
Distance From Centerline Of Hole To End Of Pin:
Between 0.780 inches and 0.790 inches
Second End Counterbore Diameter:
Between 0.1255 inches and 0.1256 inches
Second End Counterbore Depth:
Between 0.061 inches and 0.063 inches
Thready Qty Per Inch (tpi):
28
Second End Relationship With First End:
Not identical
Thread Size:
0.250 inches
First End Location:
Shank end
Special Features:
Apply poly-lok to threaded area
Material:
Steel comp 304
Material Specification:
Qq-s-763 federal specification single material response

NSN 5315-01-373-8797

Headless Shoulder Pin - Page 2 of 2



Surrace Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 type 2 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiia:

A212a0