## NSN 5315-01-376-1044

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-376-1044

First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2b **Thread Direction:** Right-hand Thread Length: 0.2000 inches **Shoulder Diameter:** 0.2500 inches **Overall Length:** 0.8090 inches First Step Diameter: Between 0.1820 inches and 0.1840 inches **Second Step Diameter:** Between 0.1820 inches and 0.1840 inches **Second Step Length:** 2.0000 inches **Third Step Diameter:** 0.1640 inches Third Step Length: Between 0.1820 inches and 0.1840 inches **Shoulder Length:** 0.0590 inches Thready Qty Per Inch (tpi): Second End Relationship With First End: Not identical **Thread Size:** 0.1640 inches **First End Location:** Tapered end First End Taper Angle: 30.0 degrees First End Tip Radius: 0.0300 inches Material: Steel comp 303

**Material Specification:** 

Astm-a582 assn standard single material response

## NSN 5315-01-376-1044

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0