NSN 5315-01-376-4798

First End Style: Chamfered

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-376-4798

Second End Style:
Square
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
1.3800 inches
Shoulder Diameter:
2.5000 inches
Overall Length:
Between 8.3300 inches and 8.4300 inches
First Step Diameter:
0.7500 inches
Second Step Diameter:
2.2000 inches
Second Step Length:
1.0600 inches
Third Step Diameter:
2.2000 inches
Third Step Length:
Between 1.3720 inches and 1.3740 inches
Shoulder Length:
0.4400 inches
First End Taper Length:
1.5900 inches
Thready Qty Per Inch (tpi):
Thready Qty Per Inch (tpi): 16
16
16 Second End Relationship With First End:
16 Second End Relationship With First End: Not identical
16 Second End Relationship With First End: Not identical Hardness Rating:
Second End Relationship With First End: Not identical Hardness Rating: 42.0 rockwell c and 46.0 rockwell c
Second End Relationship With First End: Not identical Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Thread Size:
Second End Relationship With First End: Not identical Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Thread Size: 0.7500 inches
Second End Relationship With First End: Not identical Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Thread Size: 0.7500 inches First End Location:
Second End Relationship With First End: Not identical Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Thread Size: 0.7500 inches First End Location: Tapered end
Second End Relationship With First End: Not identical Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Thread Size: 0.7500 inches First End Location: Tapered end First End Taper Angle:

NSN 5315-01-376-4798

Headless Shoulder Pin - Page 2 of 2



Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0