NSN 5315-01-379-6102

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-379-6102

| First End Style: |
|---|
| Chamfered |
| Second End Style: |
| Chamfered |
| Thread Class: |
| 3a |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 0.625 inches |
| Shank Length: |
| 1.188 inches |
| Shoulder Width Across Flats: |
| 0.875 inches |
| Shank Diameter: |
| Between 0.3710 inches and 0.3730 inches |
| Overall Length: |
| 2.188 inches |
| First End Taper Length: |
| 0.053 inches |
| Second End Taper Length: |
| 0.688 inches |
| Second End Relationship With First End: |
| Not identical |
| Thread Size: |
| 0.4370 inches |
| Second Shank Diameter: |
| Between 0.4365 inches and 0.4370 inches |
| First End Location: |
| Unthreaded end |
| First End Taper Angle: |
| 45.0 degrees |
| Second End Tip Radius: |
| 0.060 inches |
| Second Shank Length: |
| 0.875 inches |
| Material: |
| Steel comp 302 or steel comp 304 |
| Material Specification: |
| Qq-s-763, cond b federal specification all material responses |
| Surface Treatment: |
| Passivate |

NSN 5315-01-379-6102

Headless Shoulder Pin - Page 2 of 2



| Style Designator: |
|-------------------|
| Shoulder |
| Thread Series Des |

signator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0