NSN 5315-01-387-4379

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-387-4379 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.874 inches **Shank Length:** 0.874 inches **Shoulder Width Across Flats:** Between 0.850 inches and 0.875 inches **Overall Length:** 1.620 inches **Undercut Width:** 0.130 inches **End Application:** Mount, machine gun, mk93, mod 0 First End Taper Length: 0.030 inches **Second End Taper Length:** 0.060 inches Second End Relationship With First End: Not identical **Thread Size:** 0.625 inches **Second Shank Diameter:** 0.755 inches First End Location: Unthreaded end First End Taper Angle: 45.0 degrees **Second End Taper Angle:** 60.0 degrees Second Shank Length: 0.426 inches Material: Steel comp 303

Surface Treatment:

Oxide

NSN 5315-01-387-4379

Headless Shoulder Pin - Page 2 of 2



	Surface	Treatment	Specification:
--	---------	------------------	----------------

Mil-c-13924, class 4 military specification single treatment response

Style Designator:

Undercut

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-c-13924 spec.