NSN 5315-01-394-2413

Headless Straight Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-394-2413

First End Style:	
Chamfered	
Hole Arrangement Style:	
Both end drilled	
First Hole Diameter:	
Between 8.2 millimeters and 9.2 millimeters	
Second Hole Diameter:	
Between 7.4 millimeters and 8.6 millimeters	
Distance From Centerline Of Hole To End Of Pin:	
12.7 millimeters	
Center To Center Distance Between Holes:	
62.0 millimeters	
Pinlength:	
Between 73.1 millimeters and 123.9 millimeters	
Pindiameter:	
25.40 millimeters	
First End Taper Length:	
Between 2.0 millimeters and 4.0 millimeters	
Second End Relationship With First End:	
Not identical	
First End Taper Angle:	
Between 2.0 degrees and 4.0 degrees	
Special Features:	
Third hole 7.5mm min and 8.5mm maximum on sloted er	d; slot length 14.0mm and 6.0mm high on center of pin end
Material:	
Steel comp 1144	
Material Specification:	
Astm a311, ty b assn standard single material response	
Surface Treatment:	
Zinc and chromate	
Surface Treatment Specification:	
Astm b633, type 2, fe/zn8 assn standard single treatme	nt response
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A212a0	