## NSN 5315-01-394-2413

Headless Straight Pin - Page 1 of 1

Fiig: A212a0



View Online at https://aerobasegroup.com/nsn/5315-01-394-2413 First End Style: Chamfered **Hole Arrangement Style:** Both end drilled First Hole Diameter: Between 8.2 millimeters and 9.2 millimeters **Second Hole Diameter:** Between 7.4 millimeters and 8.6 millimeters **Distance From Centerline Of Hole To End Of Pin:** 12.7 millimeters **Center To Center Distance Between Holes:** 62.0 millimeters Pinlength: Between 73.1 millimeters and 123.9 millimeters Pindiameter: 25.40 millimeters First End Taper Length: Between 2.0 millimeters and 4.0 millimeters Second End Relationship With First End: Not identical First End Taper Angle: Between 2.0 degrees and 4.0 degrees **Special Features:** Third hole 7.5mm min and 8.5mm maximum on sloted end; slot length 14.0mm and 6.0mm high on center of pin end. Material: Steel comp 1144 **Material Specification:** Astm a311, ty b assn standard single material response **Surface Treatment:** Zinc and chromate **Surface Treatment Specification:** Astm b633, type 2, fe/zn8 assn standard single treatment response Shelf Life: N/a **Unit Of Measure: Demilitarization:** No