NSN 5315-01-396-2252

First End Style: Chamfered

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-396-2252

Second End Style:
Square
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.775 inches
Shoulder Diameter:
0.875 inches
Overall Length:
2.875 inches
First Step Diameter:
Between 0.620 inches and 0.625 inches
Second Step Diameter:
Between 0.498 inches and 0.499 inches
Second Step Length:
0.813 inches
Third Step Diameter:
0.375 inches
Third Step Length:
0.775 inches
Shoulder Length:
0.813 inches
First End Taper Length:
0.063 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.375 inches
First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Special Features:
Undercuts between shoulder and threaded side.
Material:
Steel comp 630
Material Specification:

Astm a-564 assn standard single material response

NSN 5315-01-396-2252

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0