NSN 5315-01-407-1728

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-407-1728 First End Style: Radius Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.480 inches **Shank Length:** 0.320 inches **Shoulder Diameter:** 0.420 inches **Shank Diameter:** 0.370 inches **Overall Length:** 1.510 inches **Undercut Diameter:** 0.312 inches **Undercut Width:** 0.287 inches First End Corner Radius: 0.045 inches **Second End Taper Length:** 0.210 inches Second End Relationship With First End: Not identical **Hardness Rating:** 32.0 rockwell c and 36.0 rockwell c **Thread Size:** 0.312 inches **Second Shank Diameter:** 0.370 inches **First End Location:** Threaded end **Second End Tip Radius:** 0.060 inches **Second End Taper Angle:** 60.0 degrees

Second Shank Length:

0.550 inches

NSN 5315-01-407-1728

Headless Shoulder Pin - Page 2 of 2



Special Features:
Thread under shoulder .500-20 unf-2a
Material:
Steel comp 4140
Style Designator:
Undercut
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A212a0