NSN 5315-01-411-6283

Headless Shoulder Pin - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5315-01-411-6283



First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.590 inches **Shank Length:** 0.690 inches **Shoulder Width Across Flats:** 0.500 inches **Shank Diameter:** 0.250 inches **Overall Length:** 1.440 inches **End Application:** Nha 1631703 rack assembly First End Taper Length: 0.050 inches **Second End Taper Length:** 0.250 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **Second Shank Diameter:** 0.249 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees **Second End Tip Radius:** 0.060 inches **Second Shank Length:** 0.660 inches Material: Steel comp 302 **Material Specification:** Mil-s-7720, comp 302, cond b military specification single material response

NSN 5315-01-411-6283

Headless Shoulder Pin - Page 2 of 2

Mil-std (military Standard):

Mil-s-7720 spec.



Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type ii, class 2 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0