## NSN 5315-01-435-0881

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-435-0881

First End Style:

Chamfered

Second End Style:

Pointed

Thread Class:

2a

## Thread Direction:

**Right-hand** 

Thread Length:

0.235 inches

Shoulder Diameter:

0.250 inches

**Overall Length:** 

0.950 inches

First Step Diameter:

Between 0.133 inches and 0.135 inches

## Second Step Diameter:

Between 0.1388 inches and 0.1394 inches

Second Step Length:

0.075 inches

Third Step Diameter:

0.138 inches

Third Step Length:

4.275 inches

End Application:

F-15i

Shoulder Length:

Between 0.070 inches and 0.080 inches

First End Taper Length:

0.040 inches

Thready Qty Per Inch (tpi):

32

Second End Relationship With First End:

Not identical

Thread Size:

0.138 inches

**First End Location:** 

Unthreaded end

First End Taper Angle:

Between 59.0 degrees and 61.0 degrees

First End Tip Radius:

0.040 inches

## NSN 5315-01-435-0881

Headless Shoulder Pin - Page 2 of 2



Surface Finish: 63.0 microinches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type iv federal specification single treatment response

Style Designator:

Shoulder

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0