## NSN 5315-01-446-8355

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-446-8355 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.490 inches **Shank Length:** 0.910 inches **Shoulder Width Across Flats:** 0.500 inches **Shank Diameter:** 0.210 inches **Overall Length:** 1.300 inches First End Taper Length: 0.050 inches **Second End Taper Length:** 0.520 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **Second Shank Diameter:** 0.250 inches **First End Location:** Threaded end First End Taper Angle: 45.0 degrees **Second End Tip Radius:** 0.060 inches **Second Shank Length:** 0.710 inches Material: Steel comp 302 **Material Specification:** Mil-s-7720, cond b military specification single material response

Passivate

**Surface Treatment:** 

## NSN 5315-01-446-8355

Headless Shoulder Pin - Page 2 of 2



S	urí	ace	Treatment	Speci	ficat	ion:
---	-----	-----	-----------	-------	-------	------

Qq-p-35 federal specification single treatment response

**Style Designator:** 

Shoulder

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-7720 spec.