

View Online at <https://aerobasegroup.com/nsn/5315-01-471-1893>

First End Style:

Chamfered

Second End Style:

Chamfered w/thru hole

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

1.130 inches

Shoulder Diameter:

1.000 inches

Overall Length:

5.250 inches

First Step Diameter:

0.663 inches

Second Step Diameter:

Between 0.620 inches and 0.625 inches

Second Step Length:

1.000 inches

Third Step Diameter:

Between 0.435 inches and 0.436 inches

Third Step Length:

1.380 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

0.150 inches

Distance From Centerline Of Hole To End Of Pin:

0.200 inches

End Application:

Adapter pack, vertical stabilizer, attack helicopter

Shoulder Length:

1.740 inches

First End Taper Length:

0.100 inches

Second End Taper Length:

0.030 inches

Thready Qty Per Inch (tpi):

16

Second End Relationship With First End:

Not identical

Thread Size:

0.750 inches

First End Location:

Unthreaded end

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

45.0 degrees

Material:

Steel comp 630

Material Specification:

Ams5643, conda assn standard single material response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0