

View Online at <https://aerobasegroup.com/nsn/5315-01-472-8385>

First End Style:

Chamfered

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.375 inches

Shank Length:

2.409 inches

Shoulder Diameter:

0.375 inches

Shank Diameter:

Between 0.186 inches and 0.189 inches

Overall Length:

3.219 inches

End Application:

C-17 acft

First End Taper Length:

0.031 inches

Second End Relationship With First End:

Identical

Thread Size:

0.190 inches

Second Shank Diameter:

0.375 inches

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Second Shank Length:

0.750 inches

Special Features:

Shoulder width between flats 0.210/0.230 in.; made from heat treated stock 125, 000-145, 000 lbs/sq in., tempered and cold finished 125, 000 lbs/sq in. at core

Material:

Steel comp 4130

Material Specification:

Mil-s-6758 military specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Dps9.74 type 1 mfr ref single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.