# NSN 5315-01-475-5123

Headed Straight Pin - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5315-01-475-5123

## Head Style:

Pan no. 2 (r1 not required in item description)

## Chamfer Length:

0.078 inches

# Diameter:

Between 0.371 inches and 0.373 inches

Under Head Length:

3.469 inches

Pin Chamfer Angle:

15.0 degrees

Shear Strength:

16160 double pounds per square inch

#### **Pin Head Diameter:**

0.500 inches

#### **Special Features:**

Item altered fromms20392 no cadmium plating; shank end of pins may be chamfered or a radius of .031; pins shall be free of burrs and sharp edges; drilled hole on shank end of pin 0.108 in diameter placed 3.219 inches from under head; surface treatment zinc per astm b633, type 2, supplemantary chromate treatment, normal color not bleached or clear

#### Height:

0.062 inches

# Material:

Steel comp 4037 or steel comp 4130 or steel comp 8630

#### Material Specification:

Ams6300 assn standard 1st material response or mil-s-6758 military specification 2nd material response

#### Surface Treatment:

Zinc and chromate

#### Surface Treatment Specification:

Astmb633, type 2 assn standard single treatment response and mil-std-171 military specification single treatment response

#### Style Designator:

Straight

#### Shelf Life:

N/a

## Unit Of Measure:

```
--
```

## Demilitarization:

No

# Fiig:

A212a0

## Mil-std (military Standard):

Mil-s-6758 spec.

