## NSN 5315-01-478-4175

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-478-4175 First End Style: Chamfered and counterbored **Second End Style:** Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.250 inches **Shank Length:** 0.313 inches **Shoulder Width Across Flats:** 0.375 inches **Shank Diameter:** 0.313 inches **Overall Length:** 0.750 inches **Undercut Diameter:** 0.250 inches **Undercut Width:** 0.063 inches **End Application:** Ball sea valve, manual operator planetary gear drive First End Counterbore Diameter: 0.094 inches **First End Counterbore Depth:** 0.094 inches First End Taper Length: 0.063 inches **Second End Taper Length:** 0.063 inches Thready Qty Per Inch (tpi): 18 Second End Relationship With First End: Not identical **Thread Size:** 

0.312 inches **First End Location:** Both ends First End Taper Angle:

45.0 degrees

## NSN 5315-01-478-4175

Headless Shoulder Pin - Page 2 of 2



Second End Taper Angle:
45.0 degrees
Product Name:
Dowel, threaded
Material:
Steel comp 4140
Style Designator:
Undercut
Thread Series Designator:
Thread Series Designator: Unc
_
Unc
Unc Shelf Life:
Unc Shelf Life: N/a
Unc Shelf Life: N/a
Unc Shelf Life: N/a Unit Of Measure:

**Fiig:** A212a0