

View Online at <https://aerobasegroup.com/nsn/5315-01-485-7314>

**First End Style:**

Chamfered

**Head Style:**

Double chamfer

**Under Head Length:**

4.450 inches

**First Step Diameter:**

1.500 inches

**First Step Length:**

3.455 inches

**Second Step Diameter:**

0.750 inches

**Second Step Length:**

0.995 inches

**Hole Arrangement Style:**

Both end drilled

**First Hole Diameter:**

0.500 inches

**Second Hole Diameter:**

0.500 inches

**Distance From Centerline Of Hole To End Of Pin:**

1.380 inches

**Center To Center Distance Between Holes:**

1.325 inches

**End Application:**

Dashpot, 2.746/2.748 diameter sub-assembly hydraulic cylinder

**First End Taper Length:**

Between 0.040 inches and 0.060 inches

**First End Taper Angle:**

45.0 degrees

**Pin Head Diameter:**

2.000 inches

**Special Features:**

Head threaded 2-12unc-2a; first end threaded 3/4-10unc-3a

**Height:**

1.000 inches

**Material:**

Nickel alloy k-500 or nickel alloy 502

**Material Specification:**

Qq-n-286, class a or class b federal specification single material response

**Style Designator:**

Shoulder

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0