NSN 5315-01-486-5449

Headed Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-486-5449 First End Style: Chamfered **Head Style:** Flat chamfer Width Between Flats: 0.375 inches **Under Head Length:** 1.063 inches First Step Diameter: Between 0.998 inches and 0.999 inches First Step Length: 0.500 inches **Second Step Diameter:** 0.875 inches **Second Step Length:** 0.563 inches **Internal Drive Style:** Socket **End Application:** Misslie tube assembly; los angeles class ssn (688) First End Taper Length: 0.062 inches First End Taper Angle: 45.0 degrees Pin Head Diameter: Between 1.237 inches and 1.239 inches **Product Name:** Alignment pin **Special Features:** First end threaded 7/8-14unf-2a x .562 lg; .281 in. From first end hole drilled .250 in. Diameter x .188-.219 in. Dp for nylon insert (p/n 16) Height: 0.375 inches Material: Steel comp 630 **Material Specification:** Astm-a564 assn standard single material response **Style Designator:** Shoulder Shelf Life:

N/a

Unit Of Measure:

NSN 5315-01-486-5449

Headed Shoulder Pin - Page 2 of 2



Demilitarization:

No

Fiig:

A212a0