NSN 5315-01-494-5131

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-494-5131 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.370 inches **Shank Length:** 0.430 inches **Shoulder Width Across Flats:** 0.375 inches **Shank Diameter:** Between 0.214 inches and 0.219 inches **Overall Length:** Between 1.127 inches and 1.132 inches **End Application:** F-22 raptor First End Taper Length: 0.170 inches Second End Relationship With First End: Not identical **Thread Size:** 0.190 inches **Second Shank Diameter:** Between 0.187 inches and 0.189 inches **First End Location:** Tapered end First End Tip Radius: 0.070 inches **Second End Taper Angle:** 45.0 degrees **Second Shank Length:** 0.188 inches **Product Name:** Index pin, 10-32unjf-3a

Special Features:
Heat treat to 160 ksi min
Material:
Titanium alloy uns r56400

NSN 5315-01-494-5131

Headless Shoulder Pin - Page 2 of 2



M	late	rial	Sp	ecif	icat	ion:
			~	••••		. •

Ams 4928 assn standard single material response or ams 4967 assn standard single material response

Style Designator:

Shoulder

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0