NSN 5315-01-498-2535

Headless Grooved Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-498-2535

First End Style:
Chamfered and counterbored
Second End Style:
Chamfered
Overall Length:
5.350 inches
Diameter:
0.500 inches
Effective Length:
4.475 inches
Undercut Diameter:
0.400 inches
Undercut Width:
0.090 inches
Second Undercut Width:
0.094 inches
End Application:
Common store dolly
First End Counterbore Diameter:
0.090 inches
First End Counterbore Depth:
0.120 inches
First End Taper Length:
0.060 inches
Second End Taper Length:
0.030 inches
Second End Relationship With First End:
Not identical
First End Location:
Unthreaded end
First End Taper Angle:
45.0 degrees
Criticality Code Justification:
Agav
Second End Taper Angle:
45.0 degrees
Product Name:
Shaft, roll mode
Special Features:
Second end threaded: .375-16unc-2a
Material:

Steel comp 303

NSN 5315-01-498-2535

Headless Grooved Pin - Page 2 of 2



Material Specification:

Astm a582, type 303, cond a assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-130 military standard single treatment response

Style Designator:

Groove

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A212a0

Mil-std (military Standard):

Mil-std-130 spec.