NSN 5315-01-498-7656

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-498-7656 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2c **Thread Direction:** Right-hand Thread Length: 12.750 inches **Shank Length:** 1.810 inches **Shoulder Diameter:** 1.000 inches **Shank Diameter:** Between 0.497 inches and 0.499 inches **Overall Length:** 14.585 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.125 inches and 0.129 inches Distance From Centerline Of Hole To End Of Pin: 0.372 inches **End Application:** F-22 raptor First End Taper Length: 0.030 inches **Second End Taper Length:** 0.370 inches Second End Relationship With First End: Not identical **Thread Size:** 0.625 inches **Second Shank Diameter:** 0.625 inches **First End Location:** Unthreaded end First End Taper Angle: 45.0 degrees

Second End Taper Angle:

14.0 degrees

NSN 5315-01-498-7656Headless Shoulder Pin - Page 2 of 2



Second Shank Length:
12.750 inches
Product Name:
Screw, acme
Material:
Steel comp xm-12
Material Specification:
Ams 5659, type 1 assn standard single material response
Surface Treatment:
Passivate
Style Designator:
Shoulder
Thread Series Designator:
Acme
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0