NSN 5315-01-501-6905

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-501-6905 First End Style: Square **Second End Style:** Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.405 inches **Shank Length:** 0.780 inches **Shoulder Width Across Flats:** Between 0.430 inches and 0.439 inches **Shank Diameter:** 0.189 inches **Overall Length:** 1.068 inches **End Application:** Fighter aircraft (f18 e/f) **Second End Taper Length:** 0.405 inches Thready Qty Per Inch (tpi): Second End Relationship With First End: Not identical **Thread Size:** 0.190 inches **Second Shank Diameter:** 0.312 inches First End Location: Threaded end Second End Tip Radius: Between 0.060 inches and 0.090 inches **Second Shank Length:** 0.288 inches **Product Name:** Pin-index Material: Steel comp 302 or steel comp 304 or steel comp 303se

Material Specification:

Qq-s-763 cond b federal specification 1st material response or qq-s-763 cond b federal specification 2nd material response or mms265 cond b fscm 76301 mfr ref 3rd material response

NSN 5315-01-501-6905

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Ams qq-p-35 assn standard single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0