

View Online at <https://aerobasegroup.com/nsn/5315-01-530-6563>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.345 inches

**Shank Length:**

0.125 inches

**Shoulder Diameter:**

Between 0.367 inches and 0.376 inches

**Shank Diameter:**

0.189 inches

**Overall Length:**

0.845 inches

**Hole Arrangement Style:**

One end drilled

**First Hole Diameter:**

0.076 inches

**Distance From Centerline Of Hole To End Of Pin:**

0.140 inches

**End Application:**

F-15

**First End Taper Length:**

0.125 inches

**Thready Qty Per Inch (tpi):**

32

**Second End Relationship With First End:**

Not identical

**Second Shank Diameter:**

Between 0.185 inches and 0.186 inches

**First End Location:**

Threaded end

**First End Tip Radius:**

Between 0.060 inches and 0.090 inches

**Second End Taper Angle:**

45.0 degrees

**Second Shank Length:**

0.250 inches

**Product Name:**

Pin, index

**Material:**

Steel comp 302 or steel comp 304 or steel comp 303se

**Material Specification:**

Qq-s-763 federal specification single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Style Designator:**

Shoulder

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0