

View Online at <https://aerobasegroup.com/nsn/5315-01-536-1337>

**First End Style:**

Chamfered

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.140 inches

**Shank Length:**

0.140 inches

**Shoulder Diameter:**

Between 0.395 inches and 0.405 inches

**Shank Diameter:**

Between 0.134 inches and 0.144 inches

**Overall Length:**

1.030 inches

**Undercut Diameter:**

Between 0.134 inches and 0.144 inches

**Undercut Width:**

0.070 inches

**End Application:**

C-17a

**First End Taper Length:**

0.020 inches

**Second End Relationship With First End:**

Identical

**Hardness Rating:**

57.0 rockwell c and 60.0 rockwell c

**Thread Size:**

0.190 inches

**Second Shank Diameter:**

Between 0.188 inches and 0.190 inches

**First End Location:**

Threaded end

**First End Taper Angle:**

45.0 degrees

**Second Shank Length:**

0.330 inches

**Product Name:**

Pin, detent

**Special Features:**

Shoulder is oval 0.275 in min and 0.285 in maximum width and is offset 0.135 in min and 0.145 in maximum from one side

**Material:**

Steel comp 440c

**Style Designator:**

Undercut

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0