NSN 5315-01-540-7694



Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-540-7694 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 1.000 inches **Shank Length:** 1.333 inches **Shoulder Width Across Flats:** 0.620 inches **Shank Diameter:** 0.490 inches **Overall Length:** 2.150 inches **End Application:** Ac-130u; p/n 5009181004-001 radar transmitter transport fixture assembly, apq-180 ahf First End Taper Length: 0.060 inches **Second End Taper Length:** 0.190 inches Second End Relationship With First End: Not identical **Thread Size:** 0.500 inches **Second Shank Diameter:** 0.490 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees **Surface Finish:** 32.0 microinches short shank end **Second Shank Length:** 0.700 inches **Product Name:**

Material:

Steel comp 303

Pin, alighment, mtg-fixture, 0.490

NSN 5315-01-540-7694

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Astm a582 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A212a0