## NSN 5315-01-541-5625

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-541-5625 First End Style: Chamfered Second End Style: Round **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.250 inches **Shank Length:** 0.312 inches **Shoulder Width Across Flats:** 0.438 inches **Shank Diameter:** 0.249 inches **Overall Length:** 1.438 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: 0.075 inches Distance From Centerline Of Hole To End Of Pin: 0.140 inches **End Application:** C-17a aircraft First End Taper Length: 0.030 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **Second Shank Diameter:** 0.249 inches First End Location: Chamfered end First End Taper Angle: 45.0 degrees **Surface Finish:** 125.0 microinches

Second End Outer Radius:

Between 0.060 inches and 0.090 inches

## NSN 5315-01-541-5625

Headless Shoulder Pin - Page 2 of 2



Second Shank Length:
1.000 inches
Product Name:
Pin, shoulder, headless
Special Features:
Threads 0.2500-25 unjf 0.406 length, right hand thread; unthreaded end is tapered 0.250 inches in length
Material:
Steel comp xm-13
Material Specification:
Ams 5629 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0