## NSN 5315-01-542-0806

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-542-0806 First End Style: Chamfered Second End Style: Square **Thread Class:** 2b **Thread Direction:** Right-hand Thread Length: 0.250 inches **Shank Length:** 0.487 inches **Shoulder Diameter:** 0.500 inches **Shank Diameter:** 0.226 inches **Overall Length:** 1.190 inches **End Application:** A-10a, p/n 160d181163-1 First End Taper Length: 0.240 inches Second End Relationship With First End: Not identical **Thread Size:** 0.190 inches **Second Shank Diameter:** 0.375 inches **First End Location:** Radius end First End Taper Angle: 19.0 degrees First End Tip Radius: 0.030 inches **Second Shank Length:** 0.613 inches **Product Name:** Pin, alignment display rack **Special Features:** Threaded internally in second shank end, 0.480 maximum drill depth

Material:

Steel comp 303

## NSN 5315-01-542-0806

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Astm a581 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type ii federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A212a0