NSN 5315-01-572-0917



Threaded Straight Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-572-0917 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.290 inches Pinlength: Between 1.555 inches and 1.565 inches Pindiameter: Between 0.1200 inches and 0.1300 inches **End Application:** 3020-01-542-9287 First End Taper Length: 0.010 inches Second End Taper Length: 0.015 inches Thready Qty Per Inch (tpi): 40 Second End Relationship With First End: Not identical **Thread Size:** 0.112 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees Pin Grip Length: Between 1.265 inches and 1.275 inches **Surface Finish:** 32.0 microinches long shank **Second End Taper Angle:** 45.0 degrees **Product Name:** Shaft, miter out **Special Features:** 2nd end has 0.1865/0.1870 inch diameter head w/provision for dowel pin; at mid-length there is a collar; refer to drawing for additional details Material:

Steel comp 303se

NSN 5315-01-572-0917

Threaded Straight Pin - Page 2 of 2



Material Specification:	Mate	erial	Spe	cific	atio	n:
-------------------------	------	-------	-----	-------	------	----

Ams 5738 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Astm a967, nitric 1 assn standard single treatment response

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A212a0