

View Online at <https://aerobasegroup.com/nsn/5315-01-595-1311>

First End Style:

Chamfered

Second End Style:

Square

Hole Arrangement Style:

One end w/two drilled holes

First Hole Diameter:

0.252 inches

Second Hole Diameter:

0.125 inches

Distance From Centerline Of Hole To End Of Pin:

0.500 inches

Center To Center Distance Between Holes:

0.444 inches

Pinlength:

4.500 inches

Pindiameter:

0.748 inches

End Application:

Mk 6 various models

First End Taper Length:

0.062 inches

Second End Relationship With First End:

Not identical

First End Taper Angle:

45.0 degrees

Surface Finish:

125.0 microinches

Angle Between Centerline Of Holes:

45.0 degrees

Product Name:

Pin, latch

Special Features:

Next higher assembly ammo hoist, mk6

Material:

Copper alloy 630

Material Specification:

Acda 630 assn standard single material response

Surface Treatment:

Oxide and oil

Surface Treatment Specification:

Mil-f-495 federal specification 1st treatment response and mil-l-3150 federal specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-f-495 spec.