## NSN 5315-01-610-4954

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-610-4954 First End Style: Pointed Second End Style: Square **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.2875 inches and 0.3187 inches **Shank Length:** 0.90 inches **Shoulder Width Across Flats:** 0.250 inches **Shank Diameter:** 0.188 inches **Overall Length:** 1.45 inches **End Application:** Global hawk asip First End Taper Length: 0.188 inches Thready Qty Per Inch (tpi): Second End Relationship With First End: Not identical **Thread Size:** 0.164 inches **Second Shank Diameter:** 0.164 inches First End Location: Long end First End Taper Angle: 60.0 degrees **Second Shank Length:** 0.350 inches **Product Name:** Pin guide **Special Features:** Second shank end is the threaded end; see drawing for any additional details

Material:

Steel comp 303

## NSN 5315-01-610-4954

Headless Shoulder Pin - Page 2 of 2

**Fiig:** A212a0



Material Specification:
Sst per astm a582/a582m, type 303 a525-033-24 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Astm a967 assn standard single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No