

View Online at <https://aerobasegroup.com/nsn/5315-01-612-3683>

First End Style:

Chamfered

Second End Style:

Chamfered

Pinlength:

2.620 inches

Pindiameter:

Between 0.490 inches and 0.500 inches

End Application:

F10887425

First End Taper Length:

0.030 inches

Second End Taper Length:

0.030 inches

Features Provided:

Casehardened

Second End Relationship With First End:

Identical

First End Taper Angle:

45.0 degrees

Surface Finish:

63.0 microinches

Second End Taper Angle:

45.0 degrees

Special Features:

Protective treatment/finish iaw para 5.3.3 of mil-std-171, salt spray test at 36 hours; refer to drawing for additional details

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1024 or steel comp 1025 or steel comp b1112 or steel comp b1113 or steel comp 1213 or steel comp 1215 or steel comp 1017

Material Specification:

Qq-s-634 or qq-s-637 federal specification single material response

Supplementary Features:

Item furnished w/two cotter pin holes

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0