NSN 5315-01-615-2171

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-615-2171 First End Style: Pointed Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.79 inches **Shoulder Width Across Flats:** 0.75 inches **Overall Length:** Between 2.48 inches and 2.52 inches First Step Diameter: 0.375 inches First Step Length: 0.88 inches **Second Step Diameter:** Between 0.60 inches and 0.64 inches **Second Step Length:** 0.37 inches Third Step Diameter: Between 0.355 inches and 0.365 inches Third Step Length: 1.00 inches **End Application:** 5895-01-556-1797 **Shoulder Length:** Between 0.23 inches and 0.27 inches Thready Qty Per Inch (tpi): Second End Relationship With First End: Not identical **Thread Size:** 0.375 inches **First End Location:** Pointed end First End Taper Angle: 0.06 radians **Product Name:**

Pin, guide

NSN 5315-01-615-2171

Headless Shoulder Pin - Page 2 of 2



Special Features:
The second end is externally threaded.
Material:
Steel comp 303
Material Specification:
Astm a582-80, type 303, cond a assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, e300 military specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0
Mil-std (military Standard):
Mil-f-14072 spec.