NSN 5320-00-764-2431

Fiig: A040a0



Tubular Rivet - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5320-00-764-2431 **Fastener Length:** Between 0.368 inches and 0.382 inches **Head Style:** Oval/truss **Head Height:** Between 0.015 inches and 0.019 inches **Hole Diameter:** Between 0.039 inches and 0.043 inches **Shank Diameter:** Between 0.058 inches and 0.061 inches **Shank Style:** Tubular **Head Major Diameter:** Between 0.104 inches and 0.114 inches **Hole Depth:** Between 0.031 inches and 0.062 inches **Shear Strength:** 32000 double pounds per square inch Material: Steel comp 1005 or steel comp 1006 or steel comp 1008 or steel comp 1009 or steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 **Material Specification:** 66 federal standard all material responses **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, type 2, cl 2 federal specification single treatment response **Specification Or Standard:** 12 type and 3 class and e grade Shelf Life: N/a **Unit Of Measure: Demilitarization:** No