NSN 5320-00-849-8749

Blind Rivet - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5320-00-849-8749

F	as	ten	er	L	en	g	th	:
_				_		_		

Between 0.280 inches and 0.300 inches

Head Style:

Flush (flat) countersunk (included angle - less than 135 degrees w or w/o chamfer)

Shank Diameter:

Between 0.200 inches and 0.204 inches

Shank Style:

Self-plugging mechanically locked stem

Head Major Diameter:

Between 0.349 inches and 0.357 inches

Expansion Device:

Serrated stem-type w

Grip Length:

Between 0.073 inches and 0.125 inches

Shear Strength:

1390 single pounds per square inch

Countersink Angle:

Between 99.0 degrees and 101.0 degrees

Special Features:

Lock ring nickel-copper alloy qq-n-281

Material:

Steel comp 8740 stem

Material Specification:

Qq-n-281 federal specification all material responses locking ring

Surface Treatment:

Cadmium stem and chromate stem

Surface Treatment Specification:

Qq-p-416, ty2 federal specification single treatment response stem

Specification Data:

80205-nas1739 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

_

Demilitarization:

No

Fiig:

A040a0

Mil-std (military Standard):

Mil-a-8625 spec.